Leader in Biomolecular Solutions for Life Science

Caspase-5 Rabbit pAb

Catalog No.: A23041



Basic Information

Observed MW

Refer to figures

Calculated MW

50kDa

Category

Polyclonal Antibody

Applications

WB, ELISA

Cross-Reactivity

Human

Background

This gene encodes a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. Overexpression of the active form of this enzyme induces apoptosis in fibroblasts. Max, a central component of the Myc/Max/Mad transcription regulation network important for cell growth, differentiation, and apoptosis, is cleaved by this protein; this process requires Fas-mediated dephosphorylation of Max. The expression of this gene is regulated by interferon-gamma and lipopolysaccharide. Alternatively spliced transcript variants have been identified for this gene.

Recommended Dilutions

WB

1:500 - 1:2000

Immunogen Information

Gene ID

838

Swiss Prot

P51878

Immunogen

Recombinant protein of human Caspase-5.

Synonyms

ICH-3; ICEREL-III; ICE(rel)III; Caspase-5

Contact

•

www.abclonal.com

Product Information

Source Rabbit **Isotype** IgG **Purification**Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.