# **Recombinant SARS-CoV-2 Spike S1 Protein**

Catalog No.: RP01262 Recombinant 7 Publications

# **Sequence Information**

Species Gene ID Swiss Prot HEK293 cells 43740568

**Tags** C-His

#### Synonyms

Envelope;SARS-CoV-2 Spike RBD (N501Y);Spike;Spike ECD;Spike RBD;Spike S1;Spike S2;Spike S2 ECD;S1-RBD protein;NCP-CoV RBD Protein;novel coronavirus RBD Protein;2019-nCoV RBD Protein;S glycoprotein Subunit1 RBD Protein

## **Product Information**

Source HEK293 cells

Purification >90% by SDS-PAGE;> 95% by HPLC

#### Endotoxin

< 1.0 EU/ $\mu$ g of the protein by LAL method.

#### Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4. or Supplied as a 0.22 µm filtered solution in PBS, pH 7.4.Contact us for customized product form or formulation.

### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

## Contact

## Background

The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction. The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.

# **Basic Information**

#### Description

Recombinant SARS-CoV-2(2019-nCoV) Spike S1 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Val16-Arg685) of SARS-COV-2(2019-nCoV) Spike S1 (Accession #YP\_009724390.1) fused with a 6×His tag at the C-terminus.

#### **Bio-Activity**

1.Measured by its binding ability in a functional ELISA. Immobilized Recombinant SARS-CoV-2 Spike S1 at 2 µg/mL (100 µL/well) can bind Recombinant Human ACE2 with a linear range of 0.5-8.7 ng/mL.|2.Immobilized Human ACE2 on COOH Chip can bind SARS-COV-2 Spike S1 with an affinity constant of 11.4 nM as determined in a SPR assay (Nicoya OpenSPR).

#### Storage

Store at -20°C.Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. <br/> After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.




www.abclonal.com


## Validation Data

170kDa — 130kDa —	=
100kDa —	
70kDa —	
55kDa —	
40kDa —	
35kDa —	
25kDa —	
15kDa —	
10kDa —	


Recombinant SARS-CoV-2 Spike S1 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 110-130 kDa.



The purity of SARS-COV-2 Spike S1 Protein with His tag (Cat.RP01262) was greater than 95% as determined by SEC-HPLC.



Immobilized Recombinant SARS-COV-2 Spike S1 at  $2\mu$ g/mL (100  $\mu$ L/well) can bind Recombinant Human ACE2 with a linear range of 0.5-8.7 ng/mL.



Immobilized Human ACE2 on COOH Chip, can bind SARS-COV-2 Spike S1 with an affinity constant of 11.4 nM as determined in a SPR assay (Nicoya OpenSPR).