# Recombinant SARS-CoV-2 Spike S1+S2 ECD(S-ECD) **Protein**

Background

Catalog No.: RP01283LQ Recombinant 4 Publications

## Sequence Information

Species Gene ID Swiss Prot HEK293 cells 43740568 P0DTC2

# Tags

C-His

#### **Synonyms**

Envelope;SARS-CoV-2 Spike RBD (N501Y);Spike;Spike ECD;Spike RBD;Spike S1;Spike S2;Spike S2 ECD;S1-RBD protein;NCP-CoV RBD Protein;novel coronavirus RBD Protein;2019-nCoV RBD Protein;S glycoprotein Subunit1 RBD Protein

## **Product Information**

Source	Purification
HEK293 cells	> 95% by SDS-
	PAGE.

#### Endotoxin

< 0.1 EU/µg of the protein by LAL method.

#### Formulation

Supplied as a 0.22 µm filtered solution in PBS, pH 7.4.Contact us for customized product form or formulation.

#### Reconstitution

## **Basic Information**

#### Description

Recombinant SARS-CoV-2 S1+S2 ECD(S-ECD) Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Val11-GIn1208) of SARS-COV-2 S1+S2 ECD(S-ECD) (Accession #YP\_009724390.1) fused with a 6×His tag at the C-terminus.It is the wildtype sequence in pre-fusion state without any mutation.

#### **Bio-Activity**

Measured by its binding ability in a functional ELISA. Immobilized SARS-CoV-2 S1+S2 ECD(S-ECD) at 2 µg/mL (100 µL/well) can bind recombinant Human ACE2 with a linear range of 0.15-3.72 ng/mL.

#### Storage


The product is shipped with ice or equivalent. Upon receipt, store it immediately at the temperature recommended below. <br/> This product is stable at  $\leq$  -70°C for up to 1 year from the date of receipt. <br/>>For optimal storage, aliquot into smaller quantities after centrifugation and store at recommended temperature. Avoid repeated freeze/thaw cycles.

Contact


Ð www.abclonal.com



### Validation Data



Recombinant SARS-COV-2 S1+S2 ECD(S-ECD) Protein with His tag was determined by SDS-PAGE with Coomassie Blue, showing a band at 180 kDa.



Immobilized SARS-CoV-2 S1+S2 ECD(S-ECD) at  $2\mu$ g/mL (100  $\mu$ L/well) can bind recombinant Human ACE2 with a linear range of 0.15-3.72 ng/mL.